OAK #LEAF

48 HR WATER RESISTANT LAMINATE

3



High Definition Realism

OAKLEAF HD PLUS laminate delivers amazing realism with décor visuals so natural you would think you were looking at an actual timber plank. Using High Definition (HD) technology we have curated a stunning range of popular Australian Timber, European Oak & American Hickory décors.

Unique Pattern Repeats

High Definition (HD) digital imaging was used across a random sampling of natural timber planks to create 30 pattern repeats. Approximately 5 times as many repeats as a standard laminate plank. Installation size & plank blending will determine extent of variation.





COLOURS 🌽

The colour palette presents popular Australian Timber, Hickory & Oak decors all developed using cutting edge high definition digital print technology; great depth of colour, natural features along with multiple pattern variations. Oakleaf HD PLUS laminate, you'll be amazed how realistic it looks!

Oakleaf HD PLUS 48 Hour Water Resistant Laminate, Click Flooring for Floating Install.



All colours available in:

• These colours also available in:

2200 x 196 x 12mm, 1.725m² / Ctn, AC4

1215 x 195 x 8mm, 1.8954m² / Ctn, AC4


Bedrock •



Delta Sand •



Sierra Oak





Hickory •



Silk Grey



Alpine Mist



Brush Box



Iron Bark



Spotted Gum •



Arctic Fox




Clove



Natural •




Wolf Grey •



UNIQUE FEATURES



The patented 3 step Water Resistant process starts with a unique click profile that has been modified to tighten the T-Seam lock. These changes to the click geometry significantly reduce the opportunity for surface leakage.



Tighter lock & less leakage

101143

2 BEVEL & CLICK **TONGUE TREATMENT**

Both the surface bevel and the click profile tongue are treated with a water resistant coating to create a moisture barrier to avoid leakage through the click locking profile.



SPECIALISED HDF CORE WATER RESISTANT TREATMENT

Not all laminate cores are the same. Oakleaf HD PLUS is manufactured with a highly water resistant HDF core that uses specialised binders to deliver a guaranteed 48hr water resistant warranty. The specialised HDF core along with the unique click profile & bevel coating system delivers reliable protection for modern living environments.

Independent test certified for T-Seam - Swell & Seepage > 80hrs.



Specialised treatment in the core



TECHNICAL SPECIFICATIONS

KEY FEATURES

Interior 48hr Water Resistant warranty incorporating a 3-step process that includes a T Seam tight lock click profile, moisture protection treated bevel edges & independently tested water-resistant core. High Definition Realism & Unique Pattern Repeats.

CLASSIC WIDTH PLANKS

195mm (8mm) & 196mm(12mm) planks for Oak, Hickory & Australian Timber décors.

DESCRIPTION & PROFILE

48hr Water-resistant AC4 Laminate. Valinge Click profile. Moisture protection treated Micro Bevel V4.

SURFACE FEATURES

High Definition Digital Print realistic timber visuals, colours, and textures. Super Matte coating.

SWELL TESTING

Conforms to EN 13329:2016 + A1:2017 & ISO 24336:2005 & NALFA, T Seam - Swell & Seepage Test > 80hrs.

SLIP RATING

AS 4586:2013 Appendix A, P3.

FIRE TEST


12mm: CHF Value 4.4Kw/m². Smoke Value 12% min. 8mm: CHF Value 5.4Kw/m². Smoke Value 9% min.

VOC

GOLD Greenguard Certified for Low Chemical Emissions UL.COM/GG UL 2818-2013, 108959-420, 09-2018-09-2022



HIGH DEFINITION DIGITAL LAMINATE 48 HR WATER RESISTANT



t +61 8 8262 2774 sa@preferencefloors.com.au

Preference Floors (WA)

Perth † +61 8 9471 7785 wa@preferencefloors.com.au

Preference Floors (QLD)

Brisbane † +61 7 3875 1688 qld@preferencefloors.com.au

Preference Floors (NSW)

Sydney † +61 2 9738 1188 sales@preferencefloors.com.au

Preference Floors (VIC)

t +61 3 9794 5111 vic@preferencefloors.com.au

PREFERENCE I FLOORS

www.preferencefloors.com.au